



## **Claims**

Having thus described our invention, what we claim as new, and desire to secure by Letters Patent is:

- 1. A method, for use in a virus-free certificate cache, of caching one or multiple virus-
- 2 free certificates, each virus-free certificate certifying that a file is virus-free, said
- 3 method comprising the steps of:

4

1

- 5 receiving a virus-free certificate request for a file;
- 6 identifying the file in a cache table, said cache table comprising for each
- 7 identified file one or a plurality of virus-free certificates;
- 8 selecting in the cache table one virus-free certificate for the identified file,
- 9 using one or a plurality of anti-virus criteria;
- retrieving from the cache table said selected virus-free certificate;
- sending back in response to the virus-free certificate request the retrieved
- virus-free certificate .
- 1 2. The method according to claim 1 wherein the virus-free certificate request
- 2 comprises:

3

- a list of one or a plurality of anti-virus programs to execute on the file to
- 5 determine whether the file is virus-free or not.
- 1 3. The method according to claim 1 wherein the virus-free certificate request further
- 2 comprises:

3

4 • an identification of the file.

| 1  | 4. The method cording to the claim 1 wherein the virus-certificate request                  |  |  |
|----|---|--|--|
| 2  | further comprises:  |  |  |
| 3  |   |  |  |
| 4  | • an identification of a virus-free certificate authority, said virus-free certificate      |  |  |
| 5  | authority having authority to generate virus-free certificates.                             |  |  |
|    |   |  |  |
| 1  | 5. The method according to claim 1 wherein the virus-free certificate comprises:            |  |  |
| 2  |   |  |  |
| 3  | • the list of the one or plurality of anti-virus programs that have been                    |  |  |
| 4  | executed on the file.   |  |  |
|    |   |  |  |
| 1  | 6. The method according to claim 1 wherein the virus-free certificate further               |  |  |
| 2  | comprises:  |  |  |
| 3  | $\cdot$   |  |  |
| 4  | a virus-free certificate authority identification.  |  |  |
|    |   |  |  |
| 1  | 7. The method according to claim 1 wherein the step of selecting in the cache table         |  |  |
| 2  | one virus-free certificate for the identified file using one or a plurality of anti-virus   |  |  |
| 3  | criteria comprises the further steps of:  |  |  |
| 4  |   |  |  |
| 5  | • comparing the list of one or a plurality of anti-virus programs comprised in              |  |  |
| 6  | each virus-free certificate associated with the identified file in the cache table with the |  |  |
| 7  | list of one of a plurality of anti-virus programs comprised in the received virus-free      |  |  |
| 8  | certificate request;  |  |  |
| 9  |   |  |  |
| 10 | and where the list of one of a plurality of anti-virus programs comprised in a virus-free   |  |  |
| 11 | certificate associated with the identified file includes the list of one or a plurality of  |  |  |
| 12 | anti-virus programs comprised in the received virus-free certificate request:               |  |  |
| 13 |   |  |  |

13

• selecting said virus-free certificate.





8. The method according to claim 1 wherein the step of selecting in the cache table one virus-free certificate for the identified file using one or a plurality anti-virus criteria comprises the further steps of:

4

comparing the virus-free certificate authority identification comprised in
 each virus-free certificate associated with the identified file in the cache table,
 and the virus-free certificate authority identification comprised in the received virus free certificate request:
 and where the virus-free certificate authority identification comprised in a virus-free
 certificate associated with the identified file is identical to the virus-free certificate
 authority identification comprised in the received virus-free certificate request:

12

13

• selecting said virus-free certificate.

9. The method according to claim 1 wherein the step of identifying the file in a cache table comprises the further steps of:

3

If the file is not identified in said cache table:

5

- forwarding the received virus-free certificate request to another virus-free
  certificate cache;
- receiving a virus-free certificate in response to said forwarded virus-free
  certificate request;
- sending back in response to the received virus-free certificate request, said received virus-free certificate.
  - 10. The method according to claim 1 comprising the further step of:

2

1

3 receiving request to update the cache table, said request comprising a virus-4 free certificate; 5 storing said virus-free certificate in the cache table. 1 11. The method according to claim 10 wherein the step of receiving a request to 2 update the cache table comprises the further step of: 3 4 forwarding said request to another virus-free certificate cache. 1 12. The method according to claim 1 comprising the further step of: 2 3 discarding from the cache table the virus-free certificate which are no more 4 valid. 13. The method according to claim 1 comprising the further steps of: 1 2 3 selecting in the cache table one or a plurality of virus-free certificates, using an 4 information indicating for each virus-free certificate the date of the latest virus-5 free certificate request which has been received for said virus-free certificate; 6 discarding from the cache table said one or plurality of selected virus-free certificate. 7 14. The method according to claim 1 comprising the further steps of: 1 2 3 selecting in the cache table one or a plurality of virus-free certificate, using an 4 information indicating for each virus-free certificate the number of virus-free 5 certificate request which have been received for said virus-free certificate; discarding from the cache table said one or a plurality of selected virus-free 6

certificate Comprises.

7

- 1 15. The method coording to claim 1 wherein the generated rus-free certificate
- 2 comprises:

3

- a file signature for certifying that the file is declared a virus-free by the
- 5 selected virus-free certificate authority.
- 1 16. The method according to claim 1 wherein the virus-free-certificate further
- 2 comprises:

3

4

- a file identification;
- 5 a public key for decrypting the file signature;
- a certificate signature for authenticating the virus-free certificate;
- 7 an indication of the virus-free certificate validity.
- 1 17. A system for caching one or more virus-free certificates within a LAN/WAN
- 2 network, each virus-free certificate certifying that a file to be downloaded to a client is
- 3 virus-free, said system comprising:
- 4 a mechanism for receiving a request for a virus-free certificate associated with a file to
- 5 be downloaded to said client;
- 6 cache table device for storing one or more virus-free certificates for files, said cache
- 7 table device including look-up mechanism for identifying one or more virus-free
- 8 certificates associated with a requested file in a cache table; said look-up mechanism
- 9 enabling selection of one virus-free certificate for the identified file using one or a
- 10 plurality of anti-virus criteria; and,
- mechanism for retrieving from a cache table said selected virus-free certificate; and, in
- 12 response to said request, returning a retrieved virus-free certificate with said file.
- 1 18. A program storage device readable by a machine, tangibly embodying a program
- 2 of instructions executable by the machine to perform method steps for caching one or

| 3  | more virus-free dificates within a LAN/WAN network, education virus-free certificate |   |  |
|----|--|---|--|
| 4  | certifying that a file to be downloaded to a client is virus-free, said method steps |   |  |
| 5  | comprising:  |   |  |
| 6  | a)   | receiving a virus-free certificate request for a file;                          |  |
| 7  | b)   | identifying the file in a cache table, said cache table comprising for each     |  |
| 8  |  | identified file one or plurality of virus-free certificates;                    |  |
| 9  | c)   | selecting in the cache table one virus-free certificate for the identified file |  |
| 10 |  | using one or a plurality of anti virus criteria; and,                           |  |
| 11 | d)   | retrieving from the cache table said selected virus-free certificate and        |  |
| 12 |  | returning a retrieved virus-free certificate with said file.                    |  |
|    |  |   |  |